AMENDMENT(S) TO THE CLAIMS

1. (Currently amended) A method for the production of pulp for subsequent use in the production of a fiber web, including the steps of:

loading the undried pulp with an additive by way of a chemical precipitation reaction, said loading step including both adding at least one of calcium oxide and calcium hydroxide to the pulp and treating the pulp with carbon dioxide; and

drying the pulp <u>after said loading step</u> for at least one of a subsequent utilization and a formulation for shipment.

- 2. (Original) The method of claim 1, further including the step of bleaching the pulp.
- 3. (Original) The method of claim 2, wherein the pulp is subjected to at least one bleaching agent.
- 4. (Original) The method of claim 3, wherein said at least one bleaching agent is at least one of a peroxide, a chlorine, an oxygen and an ozone.
- 5. (Original) The method of claim 4, wherein said bleaching step includes a plurality of stages, at least one said stage including said at least one bleaching agent.
- 6. (Original) The method of claim 1, wherein the pulp after said drying step possesses a dry content greater than 80%.

5

- 7. (Original) The method of claim 6, wherein said dry content is greater than 85%.
- 8. (Original) The method of claim 6, wherein said dry content is greater than 90%.
- 9. (Original) The method of claim 6, wherein said dry content is greater than 95%.
- 10. (Original) The method of claim 1, further including a step of refining the pulp after said loading step.
- 11. (Original) The method of claim 1, wherein the pulp is loaded with a precipitated calcium carbonate.
- 12. (Original) The method of claim 1, further including the step of cooking at least one natural fiber.
- 13. (Original) The method of claim 1, wherein the pulp is supplied in a form of at least one of bales and rolls for at least one of said subsequent utilization and said formulation for shipment.
- 14. (Original) The method of claim 1, wherein the pulp is produced according to at least one of a sulfate process and a sulfite process.

15. (Original) The method of claim 1, wherein said fiber web is at least one of a paper web and a cardboard web.